



SINKS WITH ONE BASIN



06 9	Basin of 400x400x250h – mm. 600x600x900h
07 9	Basin of 500x400x250h – mm. 700x600x900h
06 9	Basin of 400x500x250h – mm. 600x700x900h
07 9	Basin of 500x500x300h – mm. 700x700x900h
08 9	Basin of 600x500x320h – mm. 800x700x900h



Designed in AISI 304 scotch-brite satin stainless steel, with cylindrical legs with a 60 mm diameter fitted with and adjustable foot. Version "3" is closed with hinged doors, version "2" is open and has a reinforced lower shelf while version "1" has freestanding legs. The doors are double-panelled and equipped with adjustable, internal hinges. The basins come complete with stainless steel overflow tubes, plastic drains and drain-traps.



SINKS WITH ONE BASIN + ONE DRAIN



10 D/S 9	Basin of 500x400x250h – mm. 1000x600x900h
12 D/S 9	Basin of 500x400x250h – mm. 1200x600x900h
10 D/S 9	Basin of 400x500x250h – mm. 1000x700x900h
12 D/S 9	Basin of 500x500x300h – mm. 1200x700x900h
14 D/S 9	Basin of 600x500x320h – mm. 1400x700x900h



Designed in AISI 304 scotch-brite satin stainless steel, with cylindrical legs with a 60 mm diameter fitted with and adjustable foot. The drain is positioned either on the right or left and has a moulded opening with stiffening ribs. Version "3" is closed with sliding doors, version "2" is open and has a reinforced lower shelf while version "1" has freestanding legs. The doors are double-panelled, insulated and slide on bearings on dirt-proof guides. The basins come complete with stainless steel overflow tubes, plastic drains and drain-traps.



SINKS WITH ONE BASIN + ONE DRAIN + DISHWASHER



2 D/S 9	Basin of 500x500x300h – mm. 1200x600x900h
4 D/S 9	Basin of 600x500x320h – mm. 1400x600x900h



Designed in AISI 304 scotch-brite satin stainless steel, with cylindrical legs with a 60 mm diameter fitted with and adjustable foot. The drain is positioned either on the right or left, it is moulded with an opening and has raised stiffening ribs so that a dishwasher can be slotted in. Version "3" is closed with hinged doors, version "2" is open and has a reinforced lower shelf while version "1" has freestanding legs. The doors are double-panelled and equipped with adjustable, internal hinges. The basins come complete with stainless steel overflow tube, a plastic drain and a connection for a dishwasher.



SINK WITH TWO BASINS



0 9	Basins of 400x400x250h – mm. 1000x600x900h
2 9	Basins of 500x400x250h – mm. 1200x600x900h
0 9	Basins of 400x500x250h – mm. 1000x700x900h
2 9	Basins of 500x500x300h – mm. 1200x700x900h
4 9	Basins of 600x500x320h – mm. 1400x700x900h



Designed in AISI 304 scotch-brite satin stainless steel, with cylindrical legs with a 60 mm diameter fitted with and adjustable foot. Version "3" is closed with sliding doors, version "2" is open and has a reinforced lower shelf while version "1" has freestanding legs. The doors are double-panelled and equipped with adjustable, internal hinges. The basins come complete with stainless steel overflow tubes, plastic drains and drain-traps.



SINKS WITH TWO BASINS + ONE DRAIN

-65 14 D/S 9	Basins of 400x400x250h – mm. 1400x600x900h
-65 16 D/S 9	Basins of 500x400x250h – mm. 1600x600x900h
-05 14 D/S 9	Basins of 400x500x250h – mm. 1400x700x900h
-05 16 D/S 9	Basins of 500x500x300h – mm. 1600x700x900h
-05 18 D/S 9	Basins of 600x500x320h – mm. 1800x700x900h
-05 20 D/S 9	Basins of 600x500x320h – mm. 2000x700x900h



Designed in AISI 304 scotch-brite satin stainless steel, with cylindrical legs with a 60 mm diameter fitted with and adjustable foot. The drain is positioned either on the right or left, has a moulded opening and stiffening ribs.
Version "3" is closed with sliding doors, version "2" is open and has a reinforced lower shelf while version "1" has freestanding legs. The doors are double-panelled, insulated and slide on bearings on dirt-proof guides.
The basins come complete with stainless steel overflow tubes, plastic drains and drain-traps.



SINKS WITH TWO BASINS + ONE DRAIN + DISHWASHER SPACE

345 16 D/S 9	Closed with doors–basins of 400x500x250h – mm. 1600x700x900h
245 16 D/S 9	Open with lower shelf–basins of 400x500x250h – mm. 1600x700x900h
145 16 D/S 9	Open on legs - basins of 400x500x250h – mm. 1600x700x900h



Designed in AISI 304 scotch-brite satin stainless steel, with cylindrical legs with a 60 mm diameter fitted with and adjustable foot. The drain is positioned either on the right or left, it is moulded with an opening and has raised stiffening ribs so that a dishwasher can be slotted in.
Version "3" is closed with sliding doors, version "2" is open and has a reinforced lower shelf while version "1" has freestanding legs. The doors are double-panelled, insulated and slide on bearings on dirt-proof guides.
The basins come complete with stainless steel overflow tube, a plastic drain and a connection for a dishwasher.




SINKS WITH TWO BASINS + TWO DRAINS

-03 20 9	Basins of 400x500x250h – mm. 2000x700x900h
-03 25 9	Basins of 600x500x320h – mm. 2500x700x900h



Designed in AISI 304 scotch-brite satin stainless steel, with cylindrical legs with a 60 mm diameter fitted with and adjustable foot. The drains are moulded with an opening and stiffening ribs.
Version "3" is closed with sliding doors, version "2" is open and has a reinforced lower shelf while version "1" has freestanding legs. The doors are double-panelled, insulated and slide on bearings on dirt-proof guides.
The basins come complete with stainless steel overflow tubes, plastic drains and drain-traps.



SINKS WITH ONE WASHBASIN

-06 10 9	Basin of 860x500x375h – mm. 1000x700x900h
-06 12 9	Basin of 960x400x375h – mm. 1200x700x900h
-06 14 9	Basin of 1160x500x375h – mm. 1400x700x900h
-06 16 9	Basin of 1460x500x375h – mm. 1600x700x900h



Designed in AISI 304 scotch-brite satin stainless steel, with cylindrical legs with a 60 mm diameter fitted with and adjustable foot. The basins are larger so that they can be used to wash kitchenware and food products and can be fitted with a supporting grill.
Version "3" is closed with sliding doors, version "2" is open and has a reinforced lower shelf while version "1" has freestanding legs. The doors are double-panelled, insulated and slide on bearings on dirt-proof guides.
The basins come complete with stainless steel overflow tubes, plastic drains and drain-traps.



HYGIENE ACCESSORIES



X 7005	Floor paper holder – mm. 540x470x740h
X 7006	Wall paper holder – mm. 430x280x270h
152/2	Wall paper holder – mm. 270x190x210h
51401/CROM	Plastic soap dispenser – mm. 95x95x250h
00020	Stainless steel soap dispenser – mm. 110x105x355h



For a rationally organised washing area, we suggest using our series of accessories designed primarily in AISI 304 stainless steel which are useful to store and dispense paper rolls, "C"- shaped paper sheets and liquid soap dispensers. Washbasins can be used with a stainless steel panel to be positioned on the wall above the splash-back, prepared to house a paper towel holder and a soap dispenser.




TAPS



GL 18/28	Single lever pedal mixer – mm. LxPx1/2"
GL 19/29	Pedal mixer with block lever – mm. LxPx1/2"
GL6	Rotating dispensing hole – mm. 200x135x1/2"
DC2	Downpipe – mm. 200x900x1/2"
GL 7/71	Elbow lever mixer – mm. 200x310x1/2"
GL 20	Infrared mixer – mm. 150x165x1/2"



The complete range of chromed copper taps is the perfect complement to our sinks. They include solutions with pedal mixers and a dispensing taps, taps with levers that can be applied on the sink top (either single hole or two holes) and infrared taps. For more advanced needs, we have a downpipe with a nozzle and tap mixer. The downpipe can be activated using a lever found on the downpipe itself.



WALL-MOUNTED WASHBASINS



LM 40 E/EM	Moulded basin – mm. 400x350x262h
LM 40 C/CM	Moulded basin – with casing – mm. 400x350x542h
LM 50 E/EM	Basin of 400x400x200h 400x400x200h – mm. 500x500x262h
LM 50 C/CM	Vasca di 400x400x200h – with casing – mm. 500x500x542h



Designed in AISI 304 scotch-brite satin stainless steel, the "M" version is equipped with a self-closing mixer tap and a revolving spout. The basins are moulded and come complete with a drain and rubber plug. The 400x400 basins have a stainless steel overflow tube, a plastic drain and a drain-trap. The item is wall-mounted. A guard can be fitted underneath it to conceal connections and drains.



WASHBASIN WITH BASE



LG 40 A/AM	Moulded basin - doors – mm. 400x350x900h
LG 40 T/TM	Moulded basin - hopper – mm. 400x350x900h
LG 50 A/AM	Basin of 400x400 - door – mm. 500x500x900h
LG 50 T/TM	Basin of 400x400 - hopper – mm. 500x500x900h



Designed in AISI 304 scotch-brite satin stainless steel, the "M" version is equipped with a self-closing mixer tap and a revolving spout. The basins are moulded and come complete with a drain and rubber plug. The 400x400 basins have a stainless steel overflow tube, a plastic drain and a drain-trap. The base can be fitted with a hinged door or tilting hopper and is equipped with legs and adjustable feet.



KNIFE STERILIZER



STN --10	Immersion - neutral - mm. Lx100x360h
STE 3014	Immersion - heated - mm. 270x110x400h
STE 2711	Immersion - heated - thermometer - mm. 270x110x400h
STE 4020	Immersion - heated - mm. 380x200x400h
STE 3820	Immersion - heated - thermometer - mm. 380x200x400h
STU --10	Ultra-violet - mm. Lx200x700h



These units are used to sterilize knives and other implements and are offered in three different versions: neutral immersion, heated to 83 °C and with UV-A rays. The heated and UV-A versions are 220V, single-phase powered. Immersion models have a tap to open the drain and a polyethylene grill to position the knives. The UV-A model has a magnetic bar to hold the knives.



CUPBOARDS AND HANGING CUPBOARDS



AL/BL ---	Sliding doors - mm. Lx500/700x1700/2000h
ABML ---	Shutting doors - mm. LxDx2000h
ATM- ---	Transparent doors - mm. LxDx1900h
SP ---	Changing room - mm. LxDx1800h
AP/AT/AV ---	Multipurpose - mm. Lx500x2150h
PL/PF --	Shutting and sliding doors - mm. Lx400x600h
PN/PX --	Open compartment - mm. Lx400x600h



Cabinets and hanging cupboards with sliding or hinged doors designed in a variety of versions and variations, all in AISI 304 scotch-brite satin stainless steel which can be used in a selection of different places for the most appropriate use. These are: crockery cupboards and storage cupboards, with sliding, full and transparent doors, changing room lockers and multipurpose cupboards with single or double doors and with internal shelves, a broom holder and a clothes rail.



DISHWASHER SERVICE



112 -- 06	Exit - mm. Lx591x855h
112 1-8 D/S	Entry - with basin - mm. Lx760x855h
113 1-8 D/S	Entry - basin + hole - mm. Lx760x855h
113 228 D/S	Entry - basin + hole + glass washing compart. - mm. 2200x760x855h
113 --1 D/S	Clearing table - with hole - mm. Lx1000x855h



Outlet tops and entrance tops with pre-washing basin, selection tables with connecting tops, shelves baskets and table top baskets, and trolleys. A complete and functional range of equipment for hood dishwashers and dish washing areas in general. Designed in AISI 304 scotch-brite satin stainless steel, these items can be customised based on the brand and model of the machine that will be used.



SELECTION



LP 100/120 D/S	Selection sink 1000/1200x600x900h
207 12/14 D/S	Selection sink 1200/1400x700x900h
LP 150	Marina workstation 1400+1400x 600prof x900h
LP 120	Selection tank 1200x700x900h



A wide range of specific selection sinks, a tank and a unique workstation all designed in AISI 304 stainless steel are available and are ideal for work areas used to clean and prepare an ample selection of products in a rational manner. These items are completed by an ample collection of highly useful accessories such as dustbins, chopping boards, knife holders and taps.

